Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20031121" or @rlad<"20031121") and ((polic\$4 or rule\$2) with (session\$2 near4 (filter\$4 or restrict\$4 or limit\$4)) with call\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 08:20
		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) same (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 07:10
		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) and (allow\$4 with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or e\$1mail\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:06
		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) and (allow\$4 with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or e\$1mail\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:06
		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) and (allow\$4 with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or (e\$1mail\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:06

5/29/2007 10:14:14 AM C:\Documents and Settings\ntran3\My Documents\EAST\Workspaces\temp.wsp

Page 1

		(@ad<"20031121" or @rlad<"20031121") and ("20020126821" "20030065947" "5920820)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 06:20
S1	1	"6262974".pn.	US-PGPUB; USPAT	OR	OFF	2007/05/26 05:47
S2	1	"20020075540"	US-PGPUB; USPAT	OR	OFF	2007/04/20 13:09
S3	4	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or restrict\$4)) same (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2) same ((short\$4 adj4 message\$2) or SMS\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:22
S4	190	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or restrict\$4)) same (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 06:09
S5	2	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or restrict\$4)) same (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2) same administrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:14
S6	5	(@ad<"20031121" or @rlad<"20031121") and ("20020126821" "20030065947")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:20
S7	42	(@ad<"20031121" or @rlad<"20031121") and ("20020126821" "20030065947" "5920820")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:21

		•	<b></b>			
S8	6	(@ad<"20031121" or @rlad<"20031121") and ("20020126821" "20030065947" "5920820").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:21
S9	99	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or restrict\$4)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:25
S10	96	S9 not S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:23
S11	48	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 filter\$4) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:38
S12	461	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or block\$4)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 06:43
S13	0	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or block\$4)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2) with (IM\$2 or (instance\$2 adj3 message\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:45
S14	3	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2) with (IM\$2 or (instance\$2 adj3 message\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 06:55

S15	3	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2) with (IM\$2 or (instance\$2 adj3 message\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:01
S16		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) and (allow\$4 with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 07:08
S17		(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2))) same (allow\$4 with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or (IM\$2 or (instan\$3 adj3 message\$2)) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:09
S18	1200	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) same (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or IM\$2 or (instan\$3 adj3 message\$2) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:12
S19	1200	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) with (session\$2 or (in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or IM\$2 or (instan\$3 adj3 message\$2) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:13

5/29/2007 10:14:14 AM C:\Documents and Settings\ntran3\My Documents\EAST\Workspaces\temp.wsp

Page 4

				·		
S20	37	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 with (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) with ((in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or IM\$2 or (instan\$3 adj3 message\$2) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:54
S21	11	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or block\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) with ((in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or IM\$2 or (instan\$3 adj3 message\$2) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 08:09
S22	6	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or restrict\$4 or disable\$2)) with (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) with ((in\$1com\$4 adj3 call\$4) or (out\$1go\$4 adj3 call\$2) or IM\$2 or (instan\$3 adj3 message\$2) or e\$1mail\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 07:56
S23	741	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or block\$4 or restrict\$4 or disable\$2)) same (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) and (control\$4 with call\$2 (limitat\$4 or restrict\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 08:11
S24	11	(@ad<"20031121" or @rlad<"20031121") and ((session\$2 near4 (filter\$4 or block\$4 or restrict\$4 or disable\$2)) same (mobile\$2 or device\$2 or PDA\$2 or cell\$6 or phone\$2)) and (control\$4 with call\$2 with (limitat\$4 or restrict\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/26 08:19
S25	3	(@ad<"20031121" or @rlad<"20031121") and ((polic\$4 or rule\$2) with (session\$2 near4 (filter\$4 or restrict\$4 or limit\$4)) with call\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/05/26 08:21